

FITTING INSTRUCTIONS

hatchbag.co.uk

RANGE ROVER 2002 on

Our ref: H0265

Our packing requirements:

Minimum of 2 self-adhesive loop fastener

Additional Tailgate Cover: Minimum of 12 self-adhesive loop fastener



NOTE: Rear Plus liner with Seat Split, Tailgate Cover, preparation for Seat Flap & Bumper Flap.

PREPARATION

- Remove load space cover cassette, it may be replaced later.
- Range Rover Dog Guard version
 Unclip the two straps from the luggage tie down rings. They can be refastened later, if you have ordered the appropriate "Vehicle fitted with Land Rover Dog guard" version boot liner.



RANGE ROVER DOG GUARD (1 of 2 models)



RANGE ROVER DOG GUARD (2 of 2 models)

FITTING

BASE

- Photo A: Locate the pocket at the tailgate end of the liner's base. Position over the plastic hinge cover.
- Position base of the liner snugly into place
- Photo B: <u>At the rear seat end:</u> Attach the two ties to the corresponding tie down rings. *Dog Guard version: The two slots pass over the protruding rings, and replace the need for ties.*






FRONT PANEL

- Photo C: Pass the hook & loop fastener straps around the headrest posts and fasten close to the liner.
- The central strap passes over the middle seat/armrest catch.

REAR PLUS VERSIONS

• YOU MUST UNFASTEN THE HOOK & LOOP FASTENER HEADREST STRAPS BEFORE YOU FOLD THE REAR SEAT UPPERS (Please refer to REAR PLUS options on website to see detailed photo's)









SIDE PANELS

- Photo D: Release the two small access door panels.
- Photo E: Pass the large elastic loops over the top of these panels, and slide roughly half way down. *Please note this photo is non-specific to your vehicle.*
- Photo F: The small elastic loops pass over the "door's" plastic catch.
- Carefully reposition the liner and door panels to relock.







- Photo G: Locate the four slots to the tailgate end of the sides: Pass them over the corresponding four hooks.
- Photo H: Attach the ties to the front end of the sides to the corresponding hooks.
- Photo I: Re-position the tailgate end of the side panels snugly into place, so that you can place the taped edge behind the rear door rubber seal.





- Photo J: The lower free end of the sides, tuck under the boot liner floor panel.
- Photo K: Use the self-adhesive loop fastener tabs to attach the liner to the handle recess.

ffaste IMPORTANT PREPARATION

To ensure a good bond, when using the self-adhesive loop fastener to attach the boot liner to the plastic / metal trim (Not the carpet); it is most important to remove silicone film from the vehicle trim. Silicone is applied during manufacture and can also be found in many valeting products. It is highly likely there will be a build-up of silicone. Before applying any loop fastener pads, the surface MUST be thoroughly cleaned using a silicone remover. (The hook & loop fastener cannot be used once it has been in contact with silicone). We recommend "Intensive Tar Remover" made by AutoGlym and available from Halfords. Wipe off thoroughly any residue with a separate clean dry cloth.

Unfortunately we are unable to supply this product, as it cannot be transported via our postal carrier.

NOTE: the adhesive takes 24hrs to reach full adhesion, do not disturb during.



OPTIONAL EXTRAS

TAILGATE COVER

- The tailgate cover is fixed to the lower section of the rear door: They will raise and lower together, offering protection when loading the vehicle and when the door is shut.
- Use the self-adhesive loop fastener tabs to attach the cover to the plastic / metal trim.

Please note these photos are non-specific to your car.

SEAT FLAP

- The Seat Flap is designed to be used in conjunction with the Rear Plus Option(s). With the rear seats in the folded position the Seat Flap extends the coverage over any exposed section of the seat backs and the headrests
- Attach the Seat Flap to the loop fastener strip that has been manufactured into the boot liner just below the top of the rear seats.
- The flap can be placed over the rear head rests and down the back of the passenger seats. Please note however that as the Range Rover Headrests are large – the Rear Seat Flap WILL reduce rear visibility.

BUMPER FLAP

 Most Customers PREFER the TAILGATE COVER HOWEVER you can ALSO order a Bumper Flap if you wish to protect the EDGE of the Tailgate.







