

## Kia SOUL 2009 - 2014

Our ref: H0547

### Packing requirements

- BOOTLINER**  
700mm cut length of 35mm wide loop fastener  
Minimum of 16 self-adhesive loop fastener tabs
- REAR DOOR COVER**  
Minimum of 16 self-adhesive loop fastener tabs



*Photo shows a Rear Plus with Seat Split version  
(Custom Colour)*

### REMOVE FALSE FLOOR

The Boot Liner will NOT accommodate a false floor or storage trays



Does NOT suit False Floor



Remove Storage trays

### PREPARATION

- Remove the load cover cassette; it may be replaced later if you have requested the liner version to suit.
- Unfold the Hatchbag and place in the vehicle so that the base fits snugly in position. The panel with the Hatchbag label sits against the back of the rear seat.

### VERY VERY IMPORTANT PREPARATION

To ensure a good bond, when using the self-adhesive hook & loop fasteners to attach the Bootliner to the plastic / metal trim (**Not** the carpet); it is most important to remove silicone film from the vehicle trim. Silicone is applied during manufacture and can also be found in many valeting products. It is **highly likely there will be a build-up of silicone**. Before applying any self-adhesive fastener pads, the surface **MUST be thoroughly** cleaned using a silicone remover. (The fasteners cannot be used once it has been in contact with silicone). We recommend "Intensive Tar Remover" made by AutoGlym and available from Halfords. Wipe off thoroughly **any residue with a separate clean dry cloth.**



NOTE: the adhesive takes 24hrs to reach full adhesion, do not disturb during.

### FITTING

#### BASE

- Hook fastener welds attach directly to the carpet.



## FRONT

- Hook & loop fastener straps align to headrests.
- Pass around each post and fasten close back onto themselves.

## REAR PLUS VERSIONS

- **YOU MUST UNFASTEN THE HOOK & LOOP FASTENER + THE HEADREST STRAPS BEFORE YOU FOLD THE REAR SEAT UPPERS** Please refer to REAR PLUS options on website to see detailed photo's



## SIDES

- Carefully position the side panels snugly into place. Use the self-adhesive loop fastener to attach the side to the plastic trim.



Left + far left; Side views of the Boot liner to suit the Load Cover removed. (The side panels suitable for when the load cover is in place are shorter, leaving access to the screw/mounting points.)

## REAR

- Carefully position the back panel snugly into place. Use the long cut length of 35mm self-adhesive loop fastener to attach the back to the plastic trim.
- Pull back the rubber seal so that you can attach the full width of the fastener. You will need to snip the fastener strip to get it to lie flat.
- The bound edge of the liner can be tucked under the rubber seal when fastening to the loop fastener.



## TAILGATE COVER

- Use the self-adhesive loop fastener tabs to attach the cover to the plastic trim.



## OPTIONAL EXTRAS

*Please note: Photos are non specific to your vehicle*

## SEAT FLAP

- The Seat flap is designed to protect the top of your rear seat giving additional protection from drooling dogs etc.
- The Seat Flap can also be used in conjunction with the **Rear Plus** Option(s). With the rear seats in the folded position the Seat Flap extends the coverage over any exposed section of the seat backs and the headrests
- Attach the Seat Flap to the loop fastener strip that has been manufactured into the Boot Liner just below the top of the rear seats.
- The flap is then placed over the rear head rests and down the back of the passenger seats.
- If the Seat Flap sits over large headrests and obstructs your rear view: carefully create openings in the flap to accommodate the headrest posts.



## BUMPER FLAP

- Attach the Bumper Flap to the loop fastener strip that has been manufactured into the base of the boot liner.
- The Bumper Flap either folds into the vehicle OR can be detached and stored elsewhere when you close the tailgate.
- Please note that the edges of the fabric are not bound so that any mud, dirt or water can run off.



## FLOOR EXTENSION

*The "Floor extension" offers superior protection to the rear seats when purchased in conjunction with a REAR PLUS option.*

- The **Floor extension** is designed to attach to a Rear Plus version liner.
- It offers additional protection to the back of the front seats and the extended floor area when the rear seats are folded flat.

The max width is 148cm (see photo on left).

It will offer **no** protection to the rear doors



**PLEASE REQUEST FURTHER INFORMATION  
AS YOU PLACE YOUR ORDER**  
*(This item cannot be added at a late date)*