

HONDA CRV 2012-2018

Our ref: Ho549

Packing requirements

BOOTLINER
2500mm cut length of 30mm wide loop
fastener
Minimum of 8 self-adhesive loop fastener tabs

REAR DOOR COVER
Minimum of 19 self-adhesive loop fastener
tabs



Photo shows a Rear Plus WITH Seat Split version

PREPARATION

- Remove the load cover cassette; it may be replaced later.
- Unfold the Hatchbag and place in the vehicle so that the base fits snugly in position. The panel with the Hatchbag label sits against the back of the rear seat.

VERY IMPORTANT PREPARATION

To ensure a good bond, when using the self-adhesive hook & loop fastener to attach the Bootliner to the plastic / metal trim (Not the carpet); it is most important to remove silicone film from the vehicle trim. Silicone is applied during manufacture and can also be found in many valeting products. It is highly likely there will be a build-up of silicone. Before applying any self-adhesive fastener pads, the surface MUST be thoroughly cleaned using a silicone remover. (The fasteners cannot be used once it has been in contact with silicone). We recommend "Intensive Tar Remover" made by AutoGlym and available from Halfords. Wipe off thoroughly any residue with a separate clean dry cloth.

Unfortunately, we are unable to supply this product, as it cannot be transported via our postal carrier.

NOTE: the adhesive takes 24hrs to reach full adhesion, do not disturb during.





FITTING

BASE

- Position the base of the liner snugly into place.
- Hook fastener welds attach directly to the carpet.



FRONT

- Hook & loop fastener straps align to headrests.
- Pass around each post and fasten close back onto themselves.

REAR PLUS VERSIONS

 YOU MUST UNFASTEN THE HOOK & LOOP FASTENER + THE HEADREST STRAPS BEFORE YOU FOLD THE REAR SEAT UPPERS Please refer to REAR PLUS options on website to see detailed photo's

"Easy fold-down" rear seatback.

The handles in the load area are **covered** by the Boot liner.

Only a **gentle pull** on these handles is required to operate the auto-folding. You can access the handles, (once you have unfastened the headrest straps) by peeling the rear corners away from the fastener, but they **won't be exposed for your dog's roving paws!!!!!**





SIDES

• Carefully position the side panels snugly into place. Use both the small tabs and long length of the self-adhesive loop fasteners to attach the side to the plastic trim.



REAR

- Carefully position the back panel snugly into place. Use the remaining length of self-adhesive loop fastener to attach the back to the plastic trim.
- Pull back the rubber seal so that you can attach the full width of the fastener. You will need to snip the fastener strip to get it to lie flat.
- The bound edge of the liner can be tucked under the rubber seal when fastening to the hook fastener.





Please note: Photos are non specific to your vehicle

OPTIONAL EXTRAS

TAILGATE COVER

• Use the self-adhesive loop fastener tabs to attach the cover to the plastic trim.



SEAT FLAP

- The Seat flap is designed to protect the top of your rear seat giving additional protection from drooling dogs etc. It does not protect the two outer headrests as it would obscure the drivers rear view.
- SLOTTED SEAT FLAP Lower the middle headrest and raise the two outer to expose their chrome posts. Sitting in the rear passenger seats pass the slotted edge of the seat flap/flaps under the outer headrests (the flap will sit over the middle headrest) From the boot area fasten the Seat Flap to the loop fastener strip that has been manufactured into the Boot Liner just below the top of the rear seats.
- NON-SLOTTED FLAP Rear Plus / Split bootliners are also provided with a second flap without slots. With the rear seats in the folded position the flap extends the coverage over any exposed section of the seat backs.







Please note: Photos are non specific to your vehicle

BUMPER FLAP

- Attach the Bumper Flap to the loop fastener strip that has been manufactured into the base of the boot liner.
- The Bumper Flap either folds into the vehicle OR can be detached and stored elsewhere when you close the tailgate.



BOOT LINER EXTENSION

The "Boot Liner Extension" offers additional protection when the rear seats are folded by extending coverage to the Driver & Front passenger seats.

- The Boot Liner Extension is designed to attach to a Rear Plus version liner.
- It offers additional protection to the back of the front seats and the extended floor area when the rear seats are folded flat.

The max width is 148cm (see photo on left). It will offer no protection to the rear doors

(This item cannot be added later)

