

Porsche Cayenne 2010 - 2018

Our ref: H0563

- Packing requirements
- BOOT LINER
Requires NO fixings
- REAR DOOR COVER
Minimum of 19 self-adhesive loop fastener tabs



PREPARATION

- Remove load cover, it can be replaced later.
- Slide the Rear seats as far back



Does NOT suit Seats slid forward



Suits Seats slid forward



DOG GUARD / LOADSPACE PARTITION NET

- The “Dog Guard” version includes two bound slots to provide access to the two “D” rings behind the Rear seats
- Remove the Dog Guard before attempting to fit the liner, it may be replaced later.



Please note not all of the photographs are specific to your vehicle

FITTING

BASE

- Unfold the Hatchbag and place in the vehicle so that the base fits snugly in position. The panel with the Hatchbag label will sit against the back of the rear seat.
- The hook fastener welded to the reverse face of the liner will attach directly to the carpet panels.



FRONT

- Hook & loop fastener straps align to headrests. Pass around each post and fasten back onto themselves.
- The hook fastener welded to the reverse face of the liner will attach directly to the carpet panels

REAR PLUS VERSIONS

YOU MUST UNFASTEN THE HOOK & LOOP FASTENER BEFORE YOU RECLINE THE REAR SEAT UPPERS

(Please refer to REAR PLUS options on website to see detailed photo')



SIDES

- Carefully position the side panels snugly into place.
- The hook fastener welded to the reverse face of the liner will attach directly to the carpet panels.



Optional extras

TAILGATE COVER

- Use the self-adhesive loop fastener to attach the back panel to the tailgate plate.



VERY IMPORTANT PREPARATION

To ensure a good bond, when using the self-adhesive loop fastener to attach the Tailgate Cover to the plastic it is most important to remove silicone film from the vehicle trim. Silicone is applied during manufacture and can also be found in many valeting products. It is highly likely there will be a build-up of silicone. Before applying any loop fastener pads, the surface **MUST** be thoroughly cleaned using a silicone remover. (The hook & loop fastener cannot be used once it has been in contact with silicone). We recommend "Intensive Tar Remover" made by AutoGlym and available from Halfords. Wipe off thoroughly any residue with a separate clean dry cloth. Unfortunately we are unable to supply this product, as it cannot be transported via our postal carrier.

NOTE: the adhesive takes 24hrs to reach full adhesion – do not disturb during.

BUMPER FLAP

- Fit boot liner
- Attach the Bumper Flap to the loop fastener strip that has been manufactured into the base of the boot liner.
- The Bumper Flap either folds into the vehicle OR can be detached and stored elsewhere when you close the tailgate.
- Please note that the edges of the fabric are not bound so that any mud, dirt or water can run off.



SEAT FLAP

PLEASE NOTE: We have two versions of the seat flap available – Please ensure you order the most suitable for your requirements

TAILORED SEAT FLAP

- The Tailored Seat flap is designed to protect the top of your rear seat giving additional protection from drooling dogs etc.
- Most suitable for the Standard boot Liner.
- Be aware the seat flap may obstruct your rear seats belts.

Please ensure it does not obstruct the seatbelts when using them.

PLEASE NOTE: This flap does not suit the **Rear Plus** Option(s): Flap needs to be removed when rear seats are folded.



Awaiting photos of the Porsche Cayenne Version

STANDARD SEAT FLAP

- Can **NOT** be used to protect the top of your rear seats.
- The Standard flap offers protection when used in conjunction with the **Rear Plus** Option(s). With the rear seats in the folded position the Seat Flap extends the coverage over exposed section of the seat backs and the headrests
- Attach the Seat Flap to the loop fastener strip that has been manufactured into the boot Liner just below the top of the rear seats.

Exposed



Standard seat flap

