

FITTING INSTRUCTIONS

hatchbag.co.uk

Vauxhall ANTARA 2007on

Our ref: H0564

PACKING REQUIREMENTS

BOOT LINER 4 x 300mm cut length of 30mm wide loop fastener Minimum of 16 self-adhesive loop fastener tabs

TAILGATE COVER Minimum of 19 self-adhesive loop fastener tabs



Rear Plus WITH Seat Split + Bumper Flap (Liner prepared for Seat Flap)

PREPARATION

REAR SEAT POSITION

The vehicle's Load Cover functions fully when the Rear Seat Uppers are set at a specific rake. Please ensure your rear seats are set at the following configuration to suit the Boot Liner Recline the Rear Seat Uppers to sit against the Load Cover Cassette



Rear seats reclined = **NO GAP** between seats and cassette



Rear seats upright = **GAP** between seats and cassette

(Should your model not have a Load Cover, follow the fitting instructions BUT leave the "FRONT" stage till last, and use the Boot Liner Sides as a guide for the seat rake)

- Remove the load cover cassette; it may be replaced later if you have purchased the "LOAD COVER Cassette IN when liner fitted" version Boot Liner
- Remove the Net / FlexOrganizer (If you have one)
- Remove the "Reversible anti-slip load liner" (If you have one)



Reversible antislip load liner



VERY IMPORTANT PREPARATION

To ensure a good bond, when using the self-adhesive hook & loop fastener to attach the Boot liner to the plastic / metal trim (**Not** the carpet); it is most important to remove silicone film from the vehicle trim. Silicone is applied during manufacture and can also be found in many valeting products. It is **highly likely there will be a build-up of silicone**. Before applying any hook & loop fastener pads, the surface **MUST be thoroughly** cleaned using a silicone remover. (The hook & loop fastener cannot be used once it has been in contact with silicone). We recommend "Intensive Tar Remover" made by AutoGlym and available from Halfords. Wipe off thoroughly **any residue with a separate clean dry cloth.**

NOTE: the adhesive takes 72hrs to reach full adhesion, do not disturb during.

FITTING

Photos are non-specific to this vehicle

BASE

- Unfold the boot liner and place in the vehicle so that the base fits snugly in position. The panel with the Hatchbag label sits against the back of the rear seat.
- Hook fastener welds attach directly to the carpet.

FRONT

- Hook & loop fastener straps align to headrests.
- Pass around each post and fasten close back onto themselves.

REAR PLUS VERSIONS

• YOU MUST UNFASTEN THE HOOK & LOOP FASTENER + THE HEADREST STRAPS BEFORE YOU FOLD THE REAR SEAT UPPERS Please refer to REAR PLUS options on website to see detailed photo's



SIDES

- Carefully position the side panels snugly into place. Use the self-adhesive loop fastener to attach the side to the plastic trim.
- Photo indicates placement









OPTIONAL EXTRAS

BUMPER FLAP

- Attach the Bumper Flap to the Loop fastener strip that has been manufactured into the base of the boot liner.
- The Bumper Flap either folds into the vehicle OR can be detached and stored elsewhere when you close the tailgate.

SEAT FLAP

- The Seat Flap is designed to be used in conjunction with the **Rear Plus** Option(s). With the rear seats in the folded position the Seat Flap extends the coverage over **some** of the exposed section of the seat backs and the headrests
 - Loop fastener strip



- Attach the Seat Flap to the loop fastener strip that has been manufactured into the Boot Liner just below the Head Rest Straps.
- Should you require further protection see the "Floor Extension" below

TAILGATE COVER

Use the self-adhesive loop fastener tabs to attach the cover to the plastic trim.
FLOOR EXTENSION

The "Floor extension" offers superior protection to the rear seats when purchased in conjunction with a REAR PLUS option.

- The **Floor extension** is designed to attach to a Rear Plus version liner.
- It offers additional protection to the back of the front seats and the extended floor area when the rear seats are folded flat.

PLEASE REQUEST FURTHER INFORMATION AS YOU PLACE YOUR ORDER

Please note the Bumper Flap, Seat Flap and Floor Extension cannot be added at a late date







