

AUDI A4 AVANT (INC. Allroad & S4 2016on) - 2015 on

Our ref: H0613-SH1/SH2/SH3/SH4/SH5/SH6

PACKAGING REQUIREMENTS.

BOOTLINER

none

REAR DOOR COVER

• 16 x tabs self-adhesive loop fasteners





VERY IMPORTANT PREPARATION

To ensure a good bond, when using the self-adhesive fastener to attach the cover to the plastic trim it is most important to remove silicone film from the vehicle trim. Silicone is applied during manufacture and can also be found in many valeting products. It is **highly likely there will be a build-up of silicone**. Before applying any self-adhesive pads, the surface **MUST be thoroughly** cleaned using a silicone remover. (The fasteners cannot be used once it has been in contact with silicone). We recommend "Intensive Tar Remover" made by AutoGlym and available from Halfords. Wipe off thoroughly **any residue with a separate clean dry cloth.**

NOTE: the adhesive takes 24hrs to reach full adhesion – do not touch during.





STEP I. PREPARATIONS

- Please remove the load cover and the Net Cassette (image A). They may be replaced later.
- If you have ordered Shape 2 / 4 / 6 please lower the offside Net across the recess

Please note not all of the photographs are specific to your vehicle



STEP 2. FITTING BASE

• Place the boot liner into the car boot with the Hatchbag logo at the seat end. Flatten the base so it fits snugly against the edges.



STEP 3. FITTING THE FRONT

- PLUS / SPLIT VERSION ONLY close the hook & loop fasteners between the side panel and the seat panel. (image C)
- Starting with the middle headrest, loop the hook & loop fastener straps around both headrest posts. (image D). Make sure to hold the front part of the base in position as not to pull the boot liner too far up. Repeat the procedure with the left and right headrest.





REAR PLUS VERSIONS

You MUST unfasten the hook & loop fsteners + the headrest straps before you recline the rear seat uppers. ('Please refer to REAR PLUS options on website to see detailed photo')

STEP 4. FITTING THE SIDES

- SHAPE 2/4/6 ONLY—Lower the net on the offside recess of the boot and push in the boot liner pocket. Push the pocket firmly to the floor so the attached fastener weld on the pocket secures to the recess base. (image E)
- Attach the sides of the boot liner to the top edge of the carpeted area of the boot sides. (image F).





OPTIONAL EXTRAS


Please note the following photos are non-specific to your vehicle

STEP 5A. SEAT FLAP

- The Seat flap is designed to protect the top of your rear seat giving additional protection from drooling dogs etc.
- The Seat Flap can also be used in conjunction with the **Rear Plus** Option(s). With the rear seats in the folded position the Seat Flap extends the coverage over any exposed section of the seat backs and the headrests (image 3)
- Lower the headrests
- Attach the Seat Flap to the loop fastener strip that has been manufactured into the Boot Liner just below the top of the rear seats. (image 1)
- The flap is then placed over the rear head rests and down the back of the passenger seats. (image 2)
- If the Seat Flap sits over large headrests and obstructs your rear view: carefully create openings in the flap to accommodate the headrest posts.

STEP 5B. TAILGATE COVER

• Line up the tailgate cover with the tailgate and clean the areas where the self-adhesive fastener tabs will be stuck. (image 4)



STEP 5C. BUMPER FLAP

- Fit Boot liner
- Attach the Bumper Flap to the loop fastener strip that has been manufactured into the base of the boot liner.
- The Bumper Flap is one standard length for all models. Trim the length to suit your requirements. Ensure you do not cut through the stitching
- The Bumper Flap either folds into the vehicle OR can be detached and stored elsewhere when you close the tailgate.
- Please note that the edges of the fabric are not bound











OPTIONAL EXTRAS page 2

Please note the following photos are non-specific to your vehicle

STEP 5D. FLOOR EXTENSION

The "Floor extension" offers superior protection to the rear seats when purchased in conjunction with a REAR PLUS option.

- The Floor extension is designed to attach to a Rear Plus version liner.
- It offers additional protection to the back of the front seats and the extended floor area when the rear seats are folded flat.
- The max width is 148cm (see photo on left).
- It will offer no protection to the rear doors

PLEASE REQUEST FURTHER INFORMATION AS YOU PLACE YOUR ORDER (*The bumper flap* (5C), seat flap (5A) and floor extension (5D) cannot be added at a late date)

STEP 5E. FREQUENT USE KIT

If you frequently remove/fit your Boot Liner from/to your vehicle please note that the carpet will "fluff" up

 we have an alternative "Frequent Use Fitting Kit"

The Frequent Use Kit is available to buy from our "online" Factory Shop – simply add it to your order from the Factory Shop.





