

## BMW 2 SERIES GRAND TOURER - 2015 on

### SEAT BACKS UPRIGHT AND RECLINED VERSIONS

Our ref: H0625-SEUP-SEREC

### PACKAGING REQUIREMENTS.

#### ☐ BOOTLINER

- **2x 420 mm** 30mm wide self-adhesive loop fastener

#### ☐ TAILGATE COVER

- **24 x tabs** self-adhesive loop fastener



### VERY IMPORTANT PREPARATION


To ensure a good bond, when using the self-adhesive hook & loop fastener to attach the cover to the plastic trim it is most important to remove silicone film from the vehicle trim. Silicone is applied during manufacture and can also be found in many valeting products. It is **highly likely there will be a build-up of silicone**. Before applying any self-adhesive fastener pads, the surface **MUST be thoroughly** cleaned using a silicone remover. (The fastener cannot be used once it has been in contact with silicone). We recommend "Intensive Tar Remover" made by AutoGlym and available from Halfords. Wipe off thoroughly **any residue with a separate clean dry cloth**.

**NOTE:** the adhesive takes 24hrs to reach full adhesion – do not touch during.




### STEP I. PREPERATIONS

- Remove the load cover. It may be replaced later.
- Please set your seat-backs to the correct inclination matching your order. Please see VI on the web (**Image A**)



## STEP 2. FITTING BASE

- Place the bootliner into the car boot with the Hatchbag logo at the seat end. Flatten the base so it fits snugly against the edges. (image B)
- Stick the 2 self-adhesive loop fastener strips onto the plastic panel on both sides of the tailgate lock at the rear of the boot. Attach the hook fasteners sewn onto the underside of the bootliner base to this loop fastener. (Image C)



## STEP 3. FITTING THE FRONT

- - PLUS / SPLIT VERSION ONLY - fasten the hook & loop fastener between the side panel and the seat panel. (image D)
- Starting with the middle headrest, loop the hook & loop fastener straps around both headrest posts. (image E). Make sure to hold the front part of the base in position as not to pull the Hatchbag too far up. Repeat the procedure with the left and right headrest.



### REAR PLUS VERSIONS


You MUST unfasten the hook and loop fastener + the headrest straps before you recline the rear seat uppers.

## STEP 4. FITTING THE SIDES

- Push down the pocket net on the passengers side of the boot in order to fit the bootliner into the recess. (image F)
- Fasten the hook fastener sewn onto the top edge of the bootliner sides to the top edge of the carpeted boot sides. (image G)



FITTED NEARSIDE



FITTED OFFSIDE



# OPTIONAL EXTRAS

*Please note the following photos are non-specific to your vehicle*

## STEP 5A. SEAT FLAP

- The Seat flap is designed to protect the top of your rear seat giving additional protection from drooling dogs etc.
- The Seat Flap can also be used in conjunction with the **Rear Plus** Option(s). With the rear seats in the folded position the Seat Flap extends the coverage over any exposed section of the seat backs and the headrests
- Lower the headrests
- Attach the Seat Flap to the loop fastener strip that has been manufactured into the Boot Liner just below the top of the rear seats. (image 1)
- The flap is then placed over the rear head rests and down the back of the passenger seats. (image 2)
- If the Seat Flap sits over large headrests and obstructs your rear view: carefully create openings in the flap to accommodate the headrest posts.



## STEP 5B. TAILGATE COVER

- Line up the tailgate cover with the tailgate and clean the areas where the self-adhesive fastener tabs will be stuck. (image 4)
- Use the self-adhesive loop fastener tabs to attach the cover to the plastic trim.



## STEP 5C. BUMPER FLAP

- Fit Boot liner
- Attach the Bumper Flap to the loop fastener strip that has been manufactured into the base of the boot liner.
- The Bumper Flap is one standard length for all models. Trim the length to suit your requirements. Ensure you do not cut through the stitching
- The Bumper Flap either folds into the vehicle OR can be detached and stored elsewhere when you close the tailgate.
- Please note that the edges of the fabric are not bound





## OPTIONAL EXTRAS page 2

*Please note the following photos are non-specific to your vehicle*

### STEP 5D. FLOOR EXTENSION

The “Floor extension” offers superior protection to the rear seats when purchased in conjunction with a REAR PLUS option.

- The Floor extension is designed to attach to a Rear Plus version liner.
- It offers additional protection to the back of the front seats and the extended floor area when the rear seats are folded flat.
- The max width is 148cm (see photo on left).
- It will offer no protection to the rear doors

PLEASE REQUEST FURTHER INFORMATION AS YOU PLACE YOUR ORDER (*The Seat Flap 5A, The Bumper Flap 5C & The Floor Extension 5D cannot be added at a late date*)

### STEP 5E. FREQUENT USE KIT

- If you frequently remove/fit your Boot Liner from/to your vehicle please note that the carpet will “fluff” up – we have an alternative “Frequent Use Fitting Kit”

The Frequent Use Kit is available to buy from our “on-line” Factory Shop – simply add it to your order from the Factory Shop. These can also be ordered at a later date.

