

BMW 5 SERIES TOURING - 2017 to 2024

OUR REF: H0665

PACKAGING REQUIREMENTS.

☐ BOOTLINER

- 2x 620 mm 30mm wide self-adhesive loop fastener
- 2x 180 mm 30mm wide self-adhesive loop fastener
- 2x 390 mm 20mm wide self-adhesive loop fastener
- 2x ref.104
- SH1 8x tabs self-adhesive loop fastener
- SH2 9x tabs self-adhesive loop fastener



Boot liner with rear split and bumper flap + seat flap



REF:104

☐ TAILGATE COVER

- 21 x tabs self-adhesive loop



VERY IMPORTANT PREPARATION



To ensure the self-adhesive hook & loop fastener stick to the plastic trim, you **MUST CLEAN** the plastic from grime and **REMOVE** all the **SILICONE** applied during manufacture and valeting.

To do this please:

1. Use a silicone remover, such as 'Auto-Glym Intensive Tar Remover' and apply generously to the surface you want to adhere to.
2. Using a separate clean & dry cloth, thoroughly dry the surface until the cloth starts to drag. Attach 1 self-adhesive fastener tab to see if it sticks. (Repeat step 1 to 2 if necessary) A couple of spares have been provided.
3. Attach the self-adhesive fasteners and let them fully adhere over the next 24 hours for the best bond.



**The self-adhesive fasteners cannot be used once it has been contact with silicone. Replacement kits are available from our website.*

STEP 1. PREPARATIONS



- Remove the load cover and partition net. Both may be replaced later.

STEP 2A. FITTING BASE (front)

- Fold the rear seats flat prior to placing the boot liner into the boot.
- Place the boot liner into the car boot with the Hatchbag logo at the seat end. Flatten the base so it fits snugly against the edges. (image A)
- Push the foam tabs sewn onto the front end of the base into the slot between the base and the rear seats. Fold the seats back up trapping the foam tabs. (Image B). Ensure not to skew the base.

STEP 2B. FITTING BASE (back)

- Stick the 620mm self-adhesive fastener strips (blue- Image C & D) to the plastic trim at the tailgate end of the vehicle. Starting from the tailgate lock run between the chrome panel and the rubber seal up to the step in the boot sides. Cut the fastener strip at relevant points to ease it up the sides. (Image C & D). Repeat on opposite side
- Stick the 180mm self-adhesive fastener strip (green) above the previously attached fastener strip along the edge up to the change in side panel texture. (image D)
- SH1 ONLY- Stick 1 self-adhesive fastener tab onto the chrome panel on both sides of the tailgate lock (yellow- Image C1)
- SH2 ONLY- Stick 3 self-adhesive fastener tab onto the chrome panel as shown (yellow- Image C2)
- Fasten the boot liner to it using the hook fastener welded onto it.




STEP 3. FITTING THE FRONT

- - **PLUS / SPLIT VERSION ONLY** - fasten the hook & loop fasteners between the side panels and the seat panel. (image E)
- Starting with the middle headrest, loop the hook & loop fastener straps around both headrest posts. (image F). Make sure to hold the front part of the base in position as not to pull the Hatchbag too far up. Repeat the procedure with the left and right headrests.

REAR PLUS VERSIONS

You **MUST** unfasten the hook & loop fasteners + the headrest straps before you recline the rear seat uppers. (Please refer to **REAR PLUS / SPLIT** options on website to see detailed photo)



STEP 4. FITTING THE SIDES

- Attach the 390mm self-adhesive fastener strip (blue) to the side panel between the top edge and the grill. (Image G)
- Attach 3 self-adhesive fastener tabs (green) to both boot sides. (image G)
- Open the side compartments of the boot (image H) and fasten the adhesive side of the ref.104 tabs to the reverse side (image I) on the top corner so that the loop fastener side sticks out (yellow - image G)
- Fasten the hook fastener strip sewn and welded onto the top edge of the boot liner to the previously attached loop fasteners. Please note; the black tape will sit above the plastic sill. (image J)



OPTIONAL EXTRAS

Please note the following photos are non-specific to your vehicle

STEP 5A. SEAT FLAP

- The Seat flap is designed to protect the top of your rear seat giving additional protection from drooling dogs etc.
- The Seat Flap can also be used in conjunction with the **Rear Plus** or **Split Option(s)**. With the rear seats in the folded position the Seat Flap extends the coverage forward. (image 3)
- Lower the headrests
- Attach the Seat Flap to the loop fastener strip that has been manufactured into the Bootliner just below the top of the rear seats. (image 1)
- The flap is then placed over the rear head rests and down the back of the passenger seats. (image 2)
- If the Seat Flap sits over large headrests and obstructs your rear view: carefully create openings in the flap to accommodate the headrest posts.

STEP 5B. TAILGATE COVER

- Line up the tailgate cover with the tailgate and clean the areas where the self-adhesive loop fastener tabs will be stuck. (image 4)



Use the self-adhesive loop fastener tabs to attach the cover to the plastic trim.

STEP 5C. BUMPER FLAP

- Fit Boot liner
- Attach the Bumper Flap to the loop fastener strip that has been manufactured into the base of the boot liner. (image 5)
- The Bumper Flap either folds into the vehicle OR can be detached and stored elsewhere when you close the tailgate.





OPTIONAL EXTRAS PAGE 2

Please note: not all of the photographs are specific to your vehicle.

STEP 5D. BOOTLINER EXTENSION

The Boot liner extension provides superior protection for the rear seats when purchased with a REAR PLUS option.

- The Boot liner extension is designed to attach to a Rear Plus/Split version liner.
- It provides additional protection for the back of the front seats and the extended floor area when the rear seats are folded flat.
- It does not offer full protection to the rear doors
- Attach the Boot liner extension to the main boot liner (Image 6)
- Fasten the two ties in the corner together (Orange arrows - Image 7)
- Fasten the hook & loop fastener straps around the headrest posts. (Blue arrows - Image 7)
- Fasten ties to the corresponding rear seat striker loop (Green arrow - Image 8)
- Repeat on opposite side



Please Note: the Seat Flap, the Bumper Flap & the Boot liner Extension cannot be added at a later date.