

# Jeep Wrangler 4 Door - 2018 Onwards

our ref: H0815

## FITTING KIT CONTENTS :

### BOOT LINER

- **2 x 400 mm** 30mm wide self-adhesive loop fastener
- **2 x 270 mm** 20mm wide self-adhesive loop fastener
- **17 x tabs** self-adhesive loop fastener

### TAILGATE COVER

- **16 x tabs** self-adhesive loop fastener



HYNO-SPK: Boot liner prepped for a bumper flap and boot liner extension.



## VERY IMPORTANT PREPARATION



To ensure the self-adhesive hook & loop fastener stick to the plastic trim, you **MUST CLEAN** all grime from the plastic and **REMOVE** all **SILICONE** applied during manufacture and valeting.

To do this please:

1. Use a silicone remover, such as AutoGlym Intensive Tar Remover, and apply generously to the surface you want to adhere to.
2. Using a separate clean, dry cloth, thoroughly dry the surface until the cloth starts to drag. Attach one self-adhesive fastener tab to see if it sticks. (Repeat steps 1 and 2 if necessary.) Extra tabs have been provided.
3. Attach the self-adhesive fasteners and let them fully adhere over the next 24 hours for the best bond.

*\*The self-adhesive fasteners cannot be used once they have been in contact with silicone. Replacement kits are available on our website.*



Please note: not all of the photographs are specific to your vehicle.


## STEP 1. PREPARATIONS

- Put the headrests in their highest position



## STEP 2. FITTING BASE

- Place the boot liner into the car boot with the Hatchbag logo at the seat end. Flatten the base so it fits snugly against the edges. (Image B)
- Lift the floor and insert it in the pocket sewn on the under side of the liner's base (Image C)
- On both sides of the boot base stick the one self-adhesive loop fastener tab in line with the hook welded on the reverse side of the boot liner as highlighted in Image D



## STEP 3. FITTING THE FRONT

- **PLUS VERSION ONLY** - Fasten the hook & loop fasteners between the side panels and the seat panel. (Image E)
- Attach the two hook fasteners welded on to the reverse side of the boot liner under the middle head rest. (white arrows, Image F).
- Fasten the hook & loop fastener straps around both headrest posts of the two headrests. (orange arrows, Image F).



## REAR PLUS VERSIONS

You **MUST** unfasten the hook & loop fasteners and the headrest straps before you recline the upper part of the rear seats. (Please refer to **REAR PLUS / SPLIT** options on website to see detailed photo.)



## STEP 4. FITTING THE SIDES

- On both sides of the boot stick the self-adhesive loop fasteners in line with the hook fasteners welded on the reverse side (Image G, H, I & J)
  - Yellow Self-adhesive loop fasteners tabs
  - 270 mm 20mm wide self –adhesive loop fastener
  - 400 mm 30mm wide self –adhesive loop fastener
- Fasten the hook fastener sewn and welded onto the top and back edge on both sides of the boot liner directly onto the previously attached loop fasteners. (Image I & J)






## OPTIONAL EXTRAS

Please note: not all of the photographs are specific to your vehicle.

### STEP 6A. SEAT FLAP


- Rear Plus boot liner ONLY - The additional rectangle shaped section offers protection should you fold the seats (Image 2)
- Attach the Seat Flap to the loop fastener strip that has been manufactured into the Boot liner just below the top of the rear seats. (Image 1)

### STEP 6B. TAILGATE COVER

-  Line up the tailgate cover with the tailgate and clean the areas where the self-adhesive loop fastener tabs will be stuck. (Image 3)
- Use the self-adhesive loop fastener tabs to attach the cover to the plastic trim.

### STEP 6C. BUMPER FLAP

- Fit the boot liner
- Attach the Bumper Flap to the loop fastener strip located at the base of the boot liner. (Image 4)
- The Bumper Flap either folds into the vehicle OR can be detached and stored elsewhere when you close the tailgate.



## OPTIONAL EXTRAS PAGE 2

Please note: not all of the photographs are specific to your vehicle.

### STEP 6D. BOOT LINER EXTENSION

The Boot liner extension provides superior protection for the rear seats when purchased with a REAR PLUS option.

- The Boot liner extension is designed to attach to a Rear Plus/Split version liner.
- It provides additional protection for the back of the front seats and the extended floor area when the rear seats are folded flat.
- It does not offer full protection to the rear doors
- Attach the Boot liner extension to the base of the main boot liner (Image 6)
- Detach the sides of the boot liner to expose the hook fasteners highlighted in blue on images G & H on page 3 and attach the extension to them.
- Fasten the two ties in the corner together (Orange arrows - Image 7)
- Fasten the hook & loop fastener straps around the headrest posts. (Blue arrows - Image 7)
- Repeat on opposite side

**Please Note: the Seat Flap, the Bumper Flap & the Boot liner Extension cannot be added at a later date.**

