

Jeep Wrangler 4 Door (JK) - 2007 to 2018

our ref: H0836

FITTING KIT CONTENTS :

- BOOT LINER
 - **2 x 440 mm** 20mm wide self-adhesive loop fastener
 - **20 x tabs** self-adhesive loop fastener
- TAILGATE COVER
 - **18 x tabs** self-adhesive loop fastener



Rear Plus with Seat Split boot liner prepped for a seat flap, bootliner extension and bumper flap.



VERY IMPORTANT PREPARATION



To ensure the self-adhesive hook & loop fastener stick to the plastic trim, you **MUST CLEAN** all grime from the plastic and **REMOVE** all **SILICONE** applied during manufacture and valeting.

To do this please:

1. Use a silicone remover, such as AutoGlym Intensive Tar Remover, and apply generously to the surface you want to adhere to.
2. Using a separate clean, dry cloth, thoroughly dry the surface until the cloth starts to drag. Attach one self-adhesive fastener tab to see if it sticks. (Repeat steps 1 and 2 if necessary.) Extra tabs have been provided.
3. Attach the self-adhesive fasteners and let them fully adhere over the next 24 hours for the best bond.

**The self-adhesive fasteners cannot be used once they have been in contact with silicone. Replacement kits are available on our website.*



STEP 1. PREPARATIONS

- Put the headrests in their vertical position (Image A)



STEP 2. FITTING BASE

- Place the boot liner into the car boot with the Hatchbag logo at the seat end. Flatten the base so it fits snugly against the edges. The hook fasteners near the tailgate on the underside attach directly to the carpet. (Image B)
- Using the 3 ties at the front of the base tie them to the d-rings near the bottom of the seats. Ensure the base sits flush with floor, the ties do not need to be tight. (Image C)
- On both sides of the boot base stick the 2 x self-adhesive loop fasteners in line with the hook welded on the reverse side of the boot liner as highlighted on (Image D)



STEP 3. FITTING THE FRONT

- **PLUS / SPLIT VERSION ONLY** - Fasten the hook & loop fasteners between the side panels and the seat panel. (Image E)
- Starting with the middle headrest (note not all versions will have center headrest), fasten the hook & loop fastener straps around both headrest posts. (Image F). Make sure to hold the front part of the base in position to avoid pulling the boot liner too far up. Repeat the procedure with the left and right headrests.



REAR PLUS VERSIONS

You **MUST** unfasten the hook & loop fasteners and the headrest straps before you recline the upper part of the rear seats. (Please refer to **REAR PLUS / SPLIT** options on website to see detailed photo.)



STEP 4. FITTING THE SIDES

- On both sides of the boot stick the following loop fasteners in line with the hook fasteners sewn reverse side of the boot liner as highlighted on, trim to avoid roof fixings. (Image G)
 - 440 mm 20mm wide self –adhesive loop fastener
- On both sides of the boot stick the self-adhesive loop fasteners in line with the hook fasteners welded on the reverse side (Image H, I & J)
- Yellow 8 x tabs self-adhesive loop fasteners
- Fasten the hook fastener sewn and welded onto the top and back edge on both sides of the boot liner directly onto the previously attached loop fasteners.
- Fasten the hook strap around the roof bar housing to the loop fastener as shown. (image K)



OPTIONAL EXTRAS

Please note: not all of the photographs are specific to your vehicle.

STEP 6A. SEAT FLAP

- Rear Plus / Split boot liners ONLY - The additional rectangle shaped section/s offer protection should you fold the seats (Image 2)
- Attach the Seat Flap to the loop fastener strip that has been manufactured into the Boot liner just below the top of the rear seats. (Image 1)



STEP 6B. TAILGATE COVER

- Line up the tailgate cover with the tailgate and clean the areas where the self-adhesive loop fastener tabs will be stuck. (Image 3)
- Use the self-adhesive loop fastener tabs to attach the cover to the plastic trim.



STEP 6C. BUMPER FLAP

- Fit the boot liner
- Attach the Bumper Flap to the loop fastener strip located at the base of the boot liner. (Image 4)
- The Bumper Flap either folds into the vehicle OR can be detached and stored elsewhere when you close the tailgate.



OPTIONAL EXTRAS PAGE 2

Please note: not all of the photographs are specific to your vehicle.

STEP 6D. BOOTLINER EXTENSION

The Bootliner extension provides superior protection for the rear seats when purchased with a REAR PLUS option.

- The Bootliner extension is designed to attach to a Rear Plus/Split version liner.
- It provides additional protection for the back of the front seats and the extended floor area when the rear seats are folded flat.
- It does not offer full protection to the rear doors
- Attach the Bootliner extension to the main boot liner (Image 5)
- Fasten the two ties in the corner together (Orange arrows - Image 6)
- Fasten the hook & loop fastener straps around the headrest posts. (Blue arrows - Image 6)
- Fasten ties to the door locking striker, ensure the tie is facing inside (Green arrow - Image 7)
- Repeat on opposite side



Please Note: the Seat Flap, the Bumper Flap & the Bootliner Extension cannot be added at a later date.